

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 August 2003 (07.08.2003)

PCT

(10) International Publication Number  
**WO 03/063600 A1**

(51) International Patent Classification<sup>7</sup>: **A23B 7/154**

(21) International Application Number: **PCT/EP03/00289**

(22) International Filing Date: 14 January 2003 (14.01.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
02075452.9 1 February 2002 (01.02.2002) EP

(71) Applicant (for AL, AM, AT, AZ, BA, BE, BF, BG, BJ, BR, BY, CF, CG, CH, CI, CM, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, FR, GA, GE, GN, GQ, GR, GW, HR, HU, ID, IS, IT, JP, KG, KP, KR, KZ, LR, LT, LU, LV, MA, MC, MD, MG, MK, ML, MR, MX, MZ, NE, NL, NO, PH, PL, PT, RO, RU, SE, SI, SK, SN, TD, TG, TJ, TM, TN, TR, UA, UZ, VN, YU only): **UNILEVER N.V.** [NL/NL]; Unilever N.v., Weena 455, NL-3013 AL Rotterdam (NL).

(71) Applicant (for AE, AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, OM, SC, SD, SG, SL, SZ, TT, TZ, UG, VC, ZA, ZM, ZW only): **UNILEVER PLC** [GB/GB]; Unilever House, Blackfriars, London, Greater London EC4 4BQ (GB).

(71) Applicant (for IN only): **HINDUSTAN LEVER LIMITED** [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, 400 020 Mumbai (IN).

(72) Inventors: **BODOR, Janos**; Unilever R & D Vlaardingen, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen

(NL). **VAN GASTEL, Hubertus, Cornelis**; Unilever R & D Vlaardingen, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(74) Agent: **KAN, Jacob H.**; Unilever NV, Patent Department, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **PROCESS FOR PRESERVING ROASTED VEGETABLES**

(57) Abstract: A method for preserving vegetables comprising the steps:- subjecting the vegetables to a heat treatment chosen from the group consisting of: roasting, shallow frying, baking and grilling, immersing the heat-treated vegetables in a preserving liquid, storing the vegetables in the preserving liquid until use, characterized in that the preserving liquid is an aqueous solution containing a preservative agent, an antioxidant, 0.1 - 4.0 wt.% of salt and such amount of an edible acid that the pH of the liquid after 48 hours of equilibration with the immersed vegetables is in the range 4.1 - 4.5.



**WO 03/063600 A1**

## PROCESS FOR PRESERVING ROASTED VEGETABLES

**Field of the invention**

5

The present invention relates to a method for preserving heat-treated vegetables, particularly vegetables used in the preparation of sandwiches. Taste and appearance of the vegetables can be preserved for up to 4 weeks.

10

**Background of the invention**

Vegetables may be subjected to a heat treatment prior to consumption or further processing. Roasted vegetables are used as ingredients for some types of ready-to-eat packed sandwiches which have a shelf life of several days. Roasting, however, by damaging the cell structure makes heat-treated vegetables prone to shrinking and discolouration which limits their storage time.

20 Microbial spoilage of the vegetable matter in the period between agricultural production and consumption of the sandwich is another concern.

It would be convenient when the roasted vegetables could obtain an extended storage time during which their good taste and appearance could be retained and microbiological safety could be ensured.

Many methods are known in the art that extend the closed shelf life of vegetables. These methods mainly comprise storing the vegetables in preserving liquids. These liquids contain relatively high levels of salt and/or are very sour. This has a severe and adverse impact on the taste of

30

the vegetables. While a salty or sour taste is quite normal for pickled vegetables, it is not acceptable for the heat-treated, particularly the roasted sandwich vegetables, which should have a rather mild taste. The use of those  
5 salty or sour preserving liquids may allow a one year preservation time, but the taste of the preserved heat-treated vegetables has been deteriorated and is much different from the taste of freshly roasted or grilled vegetables.

10

US 5925395 describes methods for preserving fresh vegetables wherein fresh vegetables are cut and exposed to a preserving aqueous solution comprising 0.1 - 10 wt.% of calcium ions and 0.1 - 30 wt.% of ascorbate ions or  
15 erythorbate ions. Storage without losing fresh taste, appearance and crispiness is claimed for up to 10 days. This method relates to vegetables that apart from being cut have not been further processed, anyway have not been roasted or otherwise heated.

20

The fresh vegetables described in WO96/14760 are kept in a film, which contains a marinating agent, comprising vinegar, sugar, salt, flavourings and others. This method does not relate to vegetables that have been heat-treated.

25

Roasted vegetables belong to the ingredients of certain food products, especially packed ready-to-eat sandwiches. For this application the heat-treated vegetables need an extended shelf-life during which their appearance and taste  
30 are closely resembling the appearance and taste of freshly heat-treated vegetables.

**Summary of the invention**

The present invention relates to a method as defined in claim 1 for preserving the typical taste and appearance of  
5 freshly heat-treated vegetables.

The invention also relates to a composition comprising heat-treated vegetables and a preserving liquid.

10

**Detailed Description Of The Invention**

The present invention pertains to a method of preserving the taste and appearance of heat-treated vegetables.

15 In the context of the present specification vegetables are understood to comprise also the mushrooms and the fruits which are suited for the heat treatments as described below. Suitable vegetables for use in the invention are for example, peppers, courgettes, aubergines, carrots,  
20 mushrooms and/or members of the botanical family of Allium such as onions or garlic. Preferred vegetables are courgettes, aubergines and peppers, preferably sweet peppers.

25 After an optional washing step the vegetables are cut into pieces, slices or rings, preferably with a thickness of 0.4 - 1.5 cm, more preferably 0.5 - 1.0 cm and before heating optionally treated with an edible oil such as for example olive oil, sunflower oil or nut oil.

30

Heat-treatment is meant to comprise any process for heating above 100°C but excluding cooking in steam or water. The

aim of the heat treatment is to give the vegetables an attractive taste and appearance. The heating process is chosen from the group consisting of shallow frying, deep frying, roasting, IR heating, UV heating and baking or  
5 grilling in hot air. Roasting, grilling, baking and shallow frying are preferred. The skilled man is familiar with those treatments and with the necessary equipment.

Temperature and time of heating usually varies with the  
10 vegetables and the type of heat-treatment. But the skilled man is able to select suitable temperatures and cooking times for obtaining the desired taste and appearance.

The preserving liquid is an aqueous solution containing a  
15 preservative agent, an antioxidant, cooking salt and such amount of an edible acid that the pH of the liquid after immersing of the vegetables and equilibration during two days is in the range 4.1 - 4.5, preferably 4.2 - 4.4, more preferably 4.3 - 4.4. The amount of cooking salt is 0.1 -  
20 4.0 wt.%, preferably 0.5 - 3.0 wt.%, more preferably 1.5 - 2.5 wt.%. NaCl and/or KCl are used as cooking salt.

The specific amount of edible acid depends on the type of acid and the type of vegetable actually used. Suitable  
25 acids comprise the foodgrade acids phosphoric acid, lactic acid and citric acid, but preferably acetic acid in the form of vinegar is used.

Some trials may be necessary to find out what amount of  
30 acid has to be present in the preserving liquid to ensure the claimed pH after the 48 hours equilibration period.

The heat-treated vegetables are contacted with the preserving liquid also denoted as marinade by immersing. Immersion takes place preferably after completion of the heating so that the ensuing cooling immediately stops the cooking of the vegetables. For that reason the marinade has a temperature which preferably is less than 30°C, but, obviously, is above its freezing point. After immersion the vegetables are packed with the preserving liquid into a container preferably into polyethylene bags, which after sealing are stored under cooling.

Preferably the preserving liquid is applied in a weight ratio vegetables / preserving liquid chosen from the range 1 : 1 to 1 : 2, more preferably 1 : 1.4 to 1 : 1.8.

15

A method has been found with which vegetables can be preserved for at least several days up to four weeks of cooled storage.

The heat-treated vegetables when immersed in the marinade and used for filling sandwiches does not show any quality loss during subsequent storage of the prepared sandwiches for several days. With respect to taste and appearance the vegetables closely resemble freshly heat-treated vegetables. These qualities are retained even up to 4 weeks, preferably up to 2 weeks when stored with the marinade and preferably at a temperature in the range 2° - 12°C. This extended storage facilitates the sourcing of roasted vegetables for packed sandwiches production. Daily preparation can be substituted by twice-a-month production.

30

For storage any suitable container can be used, preferably a container that ensures minimal air entrapment such as heat-sealable plastic bags, preferably polyethylene bags.

- 5 Preservative agents are those well known in the art of food manufacture. Preferred preservatives are sorbic acid, benzoic acid and their edible salts.

- Antioxidants are those well known in the art of food  
10 manufacture. The preferred antioxidant is ascorbic acid.

- The preserving liquid optionally comprises up to 10 wt.% of an agent that reduces the perception of acidity. A preferred agent is a sweetener such as a sugar, for example  
15 a mono-, di- or trisaccharide.

- Optionally the preserving liquid further comprises flavouring agents, herbs, spices and a water-structuring agent. Water-structuring agents comprise hydrocolloids,  
20 starch or starch derivatives, gums, such as gum arabic, xanthan gum, agar gum, pectin and gelatin.

- The step of contacting the heat-treated vegetables with the preserving liquid comprises, besides immersing, also  
25 dipping and soaking in or spraying with the preserving liquid. The aim is to accomplish an intensive contact by moisturing the heated vegetables with the preserving liquid. For actual storage, however, immersing is by far the most efficient and effective option.

30

When the stored vegetables need to be used, the preserving liquid can be easily removed by for example centrifugation

or separating by a sieve. After storage the heat-treated vegetables show a taste which greatly resembles the taste of vegetables immediately after heat treatment.

- 5 The invention also relates to a composition comprising heat-treated vegetables packed together with a preserving liquid as defined in the claims.

10

#### EXAMPLE

Preservation of roasted aubergines

15

A marinade was prepared by mixing the ingredients from Table I.

TABLE I

20

Ingredient	wt %
Water	92.3
Vinegar (10% solution)	2.3
Cooking salt	2.0
Sugar	3.0
Xanthan gum	0.2
Potassium sorbate	0.1
L-ascorbic acid	0.1

Washed aubergines were cut into slices of about 7 mm thickness. The slices were pre-treated with olive oil and



roasted in an oven at 240°C for 90 seconds. The two sides of the slices were heated simultaneously.

- The hot roasted slices were cooled down immediately after the roasting process by immersing them into the marinade
- 5 which was cooled to 5°C . The vegetables were soaked for 48 hours and the pH of the marinade was checked and justified at pH 4.3. Vegetables and marinade were packed into polyethylene bags. When heat-sealing the bags, it was ensured that the amount of entrapped air was kept at a
- 10 minimum. The bags with marinade and aubergines were stored in a refrigerator at about 5°C.
- After 14 days the marinade was removed by sieving and the aubergines were used for assembling sandwiches. The taste and appearance of the vegetable matter was as good as at
- 15 the time of immersing the roasted aubergines in the preserving liquid.

## CLAIMS

1. A method for preserving vegetables comprising the steps:
  - subjecting the vegetables to a heat treatment chosen from the group consisting of: shallow frying, deep-frying, roasting, IR heating, UV heating and baking or grilling in hot air,
  - contacting the heat-treated vegetables with a preserving liquid,
  - storing the vegetables with the preserving liquid until use,characterized in that the preserving liquid is an aqueous solution containing a preservative agent, an antioxidant, 0.1 - 4.0 wt.% of cooking salt and such amount of an edible acid that the pH of the liquid after 48 hours of equilibration with the immersed vegetables is in the range 4.1 - 4.5.
2. A method according to claim 1 characterized in that the amount of cooking salt is 0.5 - 3.0 wt.%, preferably 1.5 - 2.5 wt.%.
3. A method according to claim 1 characterized in that vegetables are stored with a liquid of which the pH is in the range 4.3 - 4.4.
4. A method according to claim 1 or 2 characterized in that the vegetables are selected from the group consisting of aubergines, courgettes, peppers, pepperoni, carrots, onions, mushrooms and garlic.

5. A method according to anyone of the preceding claims characterized in that the heat treatment is followed by immersing the still hot vegetables in the preserving liquid.
6. A method according to to anyone of the preceding claims characterized in that the preserving liquid has a temperature above freezing point and up to 30°C.
7. A composition comprising heat-treated vegetables in contact with a preserving liquid, characterized in that the weight ratio of vegetables to liquid is in the range 1:1 - 1:2, preferably 1:1.4 - 1:1.8, wherein the liquid comprises water, 0.1 - 4.0 wt.% of cooking salt, an edible acid, an antioxidant, a preservative agent and has a pH in the range 4.1 - 4.5 and in that the heat treatment is chosen from the group consisting of shallow frying, deep frying, roasting, IR heating, UV heating and baking or grilling in hot air.
8. A composition according to claim 7 characterized in that the heat-treated vegetables are selected from the group consisting of courgettes, aubergines, carrots, onions, garlic, pepperoni, mushrooms and peppers.
9. A composition according to claims 7 or 8 characterized in that the pH of the liquid is in the range 4.3 - 4.4.
10. A composition according to claims 7, 8 or 9 characterized by a salt content of 1.5 - 2.5 wt.%.

## INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 03/00289A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A23B7/154

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23B A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 00 62627 A (RICKS JOHN) 26 October 2000 (2000-10-26) page 4, line 5-7; claims	1-10
A	US 6 180 145 B1 (RICKS JOHN) 30 January 2001 (2001-01-30) column 2, line 24-28; claims; examples	1-10
A	PATENT ABSTRACTS OF JAPAN vol. 016, no. 183 (C-0936), 6 May 1992 (1992-05-06) -& JP 04 023948 A (RIKEN VITAMIN CO LTD), 28 January 1992 (1992-01-28) abstract	1-10
	-/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*Z\* document member of the same patent family

Date of the actual completion of the international search

22 May 2003

Date of mailing of the international search report

30/05/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Boddaert, P

## INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 03/00289

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 06, 30 April 1998 (1998-04-30) & JP 10 042781 A (SHOKUHI SANGYO CENTER; NIPPON KINOKO KENKYUSHO), 17 February 1998 (1998-02-17) abstract -----	1,7
A	US 3 138 464 A (GEORG KRUSE) 23 June 1964 (1964-06-23) -----	
A	PATENT ABSTRACTS OF JAPAN vol. 015, no. 128 (C-0818), 28 March 1991 (1991-03-28) & JP 03 010655 A (NAKAYAMA SHOKUHI KOGYO KK), 18 January 1991 (1991-01-18) abstract -----	
A	GB 1 274 385 A (SCHOLEY) 17 May 1972 (1972-05-17) -----	
A	US 5 925 395 A (CHEN CHAO) 20 July 1999 (1999-07-20) cited in the application -----	
A	PATENT ABSTRACTS OF JAPAN vol. 007, no. 219 (C-188), 29 September 1983 (1983-09-29) & JP 58 116649 A (AJINOMOTO KK), 11 July 1983 (1983-07-11) abstract -----	

## INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 03/00289

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0062627	A	26-10-2000	WO 0062627 A1	26-10-2000
US 6180145	B1	30-01-2001	NONE	
JP 04023948	A	28-01-1992	NONE	
JP 10042781	A	17-02-1998	JP 3077055 B2	14-08-2000
US 3138464	A	23-06-1964	NONE	
JP 03010655	A	18-01-1991	NONE	
GB 1274385	A	17-05-1972	NL 7103732 A	22-09-1971
US 5925395	A	20-07-1999	AU 752171 B2	05-09-2002
			AU 2031099 A	26-07-1999
			BR 9906834 A	17-10-2000
			CA 2317568 A1	15-07-1999
			CN 1288354 T	21-03-2001
			EP 1059847 A1	20-12-2000
			HU 0100208 A2	28-05-2001
			JP 2002500026 T	08-01-2002
			NZ 505455 A	28-02-2003
			WO 9934683 A1	15-07-1999
JP 58116649	A	11-07-1983	NONE	

